EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	(add$4 near3 expir$4 near3 object) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:05
L2	18	proxy with expir$4 near3 date and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:49
L3	42	proxy with expir$4 near3 (date or server) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:52
L4	3	proxy with (calculat$4 or comput$4) near4 (expiration or expir$5) with (date or time) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:56
L5	5	proxy same(calculat$4 or comput$4) near4 (expiration or expir$5) with (date or time) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:56
L6	5	proxy same (calculat$4 or comput$4) near4 (expiration or expir$5) with (date or time) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:57
L7	2	l6 not l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:57
L8	3	"09816802"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:00

L9	28	(calculat$4 or comput$4) near4 (expiration or expir$5) with (date or time) with object and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:03
L10	2	(calculat$4 or comput$4) near4 (expiration or expir$5) with (date or time) with object and proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:03
L11	6	(calculat$4 or comput$4) near4 (expiration or expir$5) with (date or time) with object and (proxy or cache) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:04
L12	32	(calculat$4 or comput$4) with (expiration or expir$5) with (date or time) with object and (proxy or cache) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:06
L13	6	(calculat$4 or comput$4) with (expiration or expir$5) with (date or time) with object with (proxy or cache) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:06
L14	5	l13 not l11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:06
L15	74	(calculat$4 or comput$4) with (expiration or expir$5) with (date or time) with object and server and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:10
L16	17	(calculat$4 or comput$4) with (expiration or expir$5) with (date or time) with object with server and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:10
L17	0	10/699439	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:14

L19	0	(10/699439).APP.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/09/24 15:14
L21	0	("10699439.app.").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/09/24 15:14
L22	10	server near3 (calculat$4 or comput$4) with (expiration or expir$5) with (date or time) with object and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:23
L23	41	(calculat$4 or comput$4) with (expiration or expir$5) with (date or time) near3 object and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:32
L24	16	(calculat$4 or comput$4or refresh$4) with (expiration or expir$5) with (date or time) near3 object and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:33
L25	45	(calculat$4 or comput$4 or refresh$4) with (expiration or expir$5) with (date or time) near3 object and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:33
L26	1001	object near3 expir$5 and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:41
L27	9	object near3 expir$5 with proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:41
L28	194	object with expir$5 with (proxy or cache) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:44

L29	1809	expir$5 with (proxy or cache) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:44
L30	1130	expir$5 near5 (proxy or cache) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:44
L31	16	(comput$4 or calculat$4) near3 expir$5 near5 (proxy or cache) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:44
L32	2	("20040003101").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/09/24 16:06
L33	2	10/639649	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 16:19
L34	2	10/639649.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 16:20
S1	15	(("6029175") or ("6144988") or ("20020194382") or ("20030028606") or ("6314492") or ("6453342") or ("6510469")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:29
S2	1	(request$4) with (video or audio or graphic or data or information or multi$media) with (authenicat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:15
S3	1	(request$4) with (video or audio or graphic or data or information or multi$media) same (authenicat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:16

S4	21232	(access$4) same (secure) same (server or network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:17
S5	13170	(access$4) same (secure) same (server or network) and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:18
S6	81	(access$4) same (secure) same (server or network) same expiration and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:18
S7	6	((access$4) same (secure) same (server or network) same expiration).ab,ti. and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:20
S8	379292	request$4 same (object or information or audio or video or multimedia or web$page or web$site or graphic or GIF or JPEG)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:28
S9	4	authenticat$4 near2 server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:23
S10	66	S8 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:28
S11	62	S10 not S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:49
S12	852	(server) same (add$4) same (expiration) and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:49

S13	228	(server) with (add$4) with (expiration) and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:50
S14	36	(server) with (add$4) with (expiration) with request$4 and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:50
S15	34	S14 not S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 09:04
S16	2163	(709/232,242).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:56
S17	10	(("20040003101") or ("20030188106") or ("20030110296") or ("6883135") or ("7159014")). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 09:05
S18	5	(TTL or (timetolive)) with (set) with maximum with minimum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:32
S19	16	(TTL or (timetolive)) same (set) with maximum with minimum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:31
S20	2163	(709/232,242).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:31
S21	0	S19 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:31

S22	11	S19 not S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:31
S23	7	(TTL or (timetolive)) with (set $4) with maximum with minimum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:32
S24	2	S23 not S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:18
S25	2	("6108703").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:18
S26	14	(set$4) with maximum with expir$4 with date and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:21
S27	4227	(TTL or "time-to-live") same (set $4)and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:22
S28	318	(TTL or "time-to-live") same (set $4) same maximum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:23
S29	15	(compar$4) with (TTL or "time-to-live") same (set$4) same maximum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:23
S30	3513	(comput$4 or calculat$4) with (expir$4) and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 11:56

S31	11	(comput$4 or calculat$4) with (expir$4) with (add$4) with expiration and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 11:57
S32	4	(compute or computing or calculat$4) with (expir$4) with (add$4) with expiration and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 12:51
S33	4	(("5404505") or ("6055569")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 12:51
S34	43820	(check$4 or evaluat$4) near4 (type) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 12:24
S35	3	(check$4 or evaluat$4) near4 (type) with HTTP adj header and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 12:24
S36	35	proxy near3 (cache or server) same object same (expir$4) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:05
S37	495	("ok" or "not modified") same proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:34
S38	259	("ok" or "not modified") with proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:34
S39	145	("ok" or "not modified") with proxy near3 server and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:34

S40	4	("ok" or "not modified") with proxy near3 server same (expir $4 or TTL) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:34
S41	0	("ok" same "not modified" with proxy near3 server and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S42	0	("ok" same "not modified") same (proxy or server) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S43	0	("ok" same "not modified") and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S44	4638	("ok" or "not modified") same status and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S45	2484	("ok" or "not modified") with status and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S46	165	("ok" or "not modified") with status near3 code and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:39
S47	2	("ok" or "not modified") with status near3 code same proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:39
S48	0	(("ok" or "not modified") with status near3 code).ab,ti. and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:41

S49	0	("not modified") with status near3 code and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:42
S50	0	("not modified") same status near3 code and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:42
S51	0	("not modified") and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:42
S52	827	(Ok or "not modified") same HTTP and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:42
S53	178	(Ok or "not modified") same HTTP same status and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:44
S54	92	(Ok or "not modified") same HTTP same status and proxy and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:45
S55	14	(Ok or "not modified") same HTTP same status same proxy and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:45
S56	8063	(status near2 code) and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:30
S57	260	(status near2 code) with action $4 and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:30

S58	78	(status near2 code) adj4 action $4 and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:31
S59	3	(status near2 code) adj4 action $4 same proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:31
S60	1353	(check$4) with object with list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:06
S61	20	(check$4) with object with list same proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:08
S62	1	(check$4) with object adj2 list same proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:09
S63	280	(check$4) with object adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:10
S64	0	(check$4) with (web$page or web$site) near3 object adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:10
S65	128	(check$4) near4 object adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:12
S66	6	((check$4or determin$4) near4 object adj2 list).ab,ti. and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:12

S67	1	((check$4or determin$4) near4 object adj2 list) same proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:16
S68	18	((check$4or determin$4) near4 object adj2 list) and proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:16
S69	1	((check$4or determin$4) near4 object adj2 list) same (GIF or JPEG or PDF or MPEG) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:20
S70	1	((check$4or determin$4) with object adj2 list) same (GIF or JPEG or PDF or MPEG) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:21
S71	781	(check$4or determin$4) with object adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:25
S72	238	(check$4 or determin$4) adj3 object adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:25
S73	8	(check$4 or determin$4) adj3 object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:26
S74	17	(check$4 or determin$4 or request$4) adj3 object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:00
S75	17	S74 not S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:00

S76	9	S74 not S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:00
S77	397	(check$4 or determin$4 or request$4) adj2 object adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:03
S78	558	(check$4 or determin$4 or request$4) adj3 (object or type) adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:03
S79	1	(check$4 or determin$4 or request$4) adj3 web adj3 (object or type) adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:04
S80	17	(check$4 or determin$4 or request$4) adj3 web with (object or type) adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:05
S81	26	((check$4 or determin$4 or request$4) adj3 (object or type) adj2 list).ab,ti. and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:07
S82	124	(check$4 or determin$4 or request$4) with object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:11
S83	130	(check$4 or determin$4 or request$4 or compar$4) with object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:11
S84	58	(request$4 or compar$4) with object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:11

S85	265	(status near2 code) with action and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 20:35
S86	215	(status adj2 code) with action and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 20:36
S87	0	(status adj2 code) with perform near2 action and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 20:36
S88	0	(status adj2 code) with actionable and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 20:36
S89	8	(TTL or (timetolive)) with (set $4) with maximum with minimum and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 10:56
S90	8	(TTL or (timetolive)) with (set $4) with maximum with minimum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 10:56
S91	16	(TTL or (timetolive)) same (set) with maximum with minimum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 11:03
S92	24	(TTL or (timetolive)) same (set$4) with maximum with minimum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 11:05
S93	8	S92 not S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 11:05

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L20	0	"Term Removed"	USPAT; UPAD	OR	OFF	2009/09/24 15:14

9/24/2009 5:07:59 PM
C:\ Documents and Settings\ btiv\ My Documents\ EAST\ Workspaces
\ 10699439_limit_access_response_time.wsp